## The Dell Group, Inc.

# Creative Solutions for your compliance burdens

### EPA Hazardous Waste Generator (RCRA) 40 CFR Part 265

Compliance Training Program	Normal Length	Cost per Session	Cost per Trainee
Initial – Generator & Waste Management	4 Hours	\$1,100.00	\$22.00
Refresher – Generator & Waste Management	2 Hours	\$500.00	\$12.00

<u>Hazardous Waste Management and Minimization Program</u> - Provides three important requirements for successful waste management:

* Compa	any Policy	Statement
---------	------------	-----------

\* Standard Operating Procedures

### \*\*ATTENTION\*\*

# CLIENTS WITH EMERGENCY RESPONSE TEAMS INCIDENT COMMANDER TRAINING AT YOUR LOCATION

### A Critical Piece of the Training Puzzle --

### The Training Needed for the DECISION MAKERS

### **OSHA Says:**

"The incident commander is the individual who, at any one time, is responsible for and in control of the response effort." An incident commander should be trained to fulfill the obligations of the position, including:

Analyze the incident to determine the magnitude of the response problem.

Plan and implement appropriate responses with available personnel and equipment.

Implement a response to favorably change the outcome of the incident consistent with the local emergency response plan and the organization's standard operating procedures.

Ability to evaluate the progress of the emergency response to ensure that the response objectives are being met safely, effectively, and efficiently.

Ability to adjust the response plan to the conditions of the response and to notify higher levels of response when required by the changes to the response plan."

Have your Emergency Coordinators been trained and drilled to perform the above duties efficiently??? Are they confident in their ability to:

Select the Appropriate Respirator? Select the Appropriate Protective Clothing?

Select the Appropriate Response Actions? Deal Effectively with the Media?

Coordinate In-house Efforts with Public Responders?

#### IF NOT, THIS COURSE IS FOR YOU.